







Dashboard Editor Server

Editor

[Connections](#)

[Job](#)

Actions

[Submit](#)

[Copy](#)

[Delete](#)

<Job Name> ?

Connection ▼

Table Name

Columns

Partition Column



Dashboard Editor Server

Editor

Connections

Job

Actions

Submit

Copy

Delete



Dashboard Editor **Server**

Server Framework

**Server** - Server Version: Sqoop 2.0.0-SNAPSHOT revision d35b126ea12918848e125afc0347125c271a9375 Compiled by abe on Mon Jun 10 13:07:19 PDT 2013 - Protocol Version: 1

Config	Value
Server host	192.168.92.134
Server port	12000
Server webapp	sqoop

## Options

Config	Value
Server host	192.168.92.134
Server port	12000
Server webapp	sqoop

Dashboard Editor **Server**

**Server** Framework

Persistent id: 1

Supported job types: [EXPORT](#), [IMPORT](#)

Connection form 1:

Name: security

Label: Security related configuration options

Help: You must supply the information requested in order to create a job object.

Input 1:

Name: security.maxConnections

Label: Max connections

Help: Maximal number of connections that this connection object can use at one point in time

Type: INTEGER

Sensitive: false

Forms for job type EXPORT:

Job form 1:

Name: input

Label: Input configuration

Help: Specifies information required to get data from Hadoop ecosystem

Input 1:

Name: input.inputDirectory

Label: Input directory

Help: Directory that should be exported

Type: STRING

Sensitive: false

Size: 255

Job form 2:

Name: throttling

Label: Throttling resources

Help: Set throttling boundaries to not overload your systems

Input 1:

Name: throttling.extractors

Label: Extractors